

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|---|---|------------------|---------|------------------|
| L1 | 1167 | data near clustering | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/07/25 07:29 |
| L2 | 0 | 1 and (diferent adj clustering adj algorithm) with result | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/07/25 07:30 |
| L3 | 3 | 1 and (different adj clustering adj algorithm) with result | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/07/25 07:30 |
| L4 | 3 | 1 and (different adj clustering adj algorithm) same result | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/07/25 07:32 |
| L5 | 1 | 1 and (different adj clustering adj algorithm) same parallel\$6 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/07/25 07:31 |
| L6 | 10 | 1 and (different adj clustering adj algorithm) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/07/25 07:31 |
| L7 | 10 | 6 and result | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/07/25 07:34 |
| L8 | 0 | 7 and value with variable with states! | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/07/25 07:35 |
| L9 | 7 | 1 and value with variable with states! | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/07/25 07:49 |

| | | | | | | |
|-----|----|--|---|----|----|------------------|
| L10 | 0 | 9 and (categoric\$7 or (numeric\$6l with range)) with variable | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/07/25 07:37 |
| L11 | 0 | 9 and (categoric\$7 or (numeric\$6 with range)) with variable | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/07/25 07:37 |
| L12 | 37 | 1 and (categoric\$7 or (numeric\$6 with range)) with variable | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/07/25 07:48 |
| L13 | 34 | 12 and variable near9 (value or states!) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/07/25 07:39 |
| L14 | 60 | 1 and (categoric\$7 or numeric\$6) with variable | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/07/25 07:49 |
| L15 | 7 | 14 and value with variable with states! | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/07/25 07:50 |
| L16 | 7 | 15 and algorithm | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/07/25 07:53 |
| L17 | 4 | ("6636862" or "6529891").pn. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/07/25 07:54 |

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|---|---|------------------|---------|------------------|
| L1 | 1167 | data near clustering | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/07/25 07:54 |
| L2 | 0 | 1 and (diferent adj clustering adj algorithm) with result | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/07/25 07:30 |
| L3 | 3 | 1 and (different adj clustering adj algorithm) with result | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/07/25 07:30 |
| L4 | 3 | 1 and (different adj clustering adj algorithm) same result | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/07/25 07:32 |
| L5 | 1 | 1 and (different adj clustering adj algorithm) same parallel\$6 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/07/25 07:55 |
| L6 | 10 | 1 and (different adj clustering adj algorithm) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/07/25 07:31 |
| L7 | 10 | 6 and result | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/07/25 07:34 |
| L8 | 0 | 7 and value with variable with states! | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/07/25 07:35 |
| L9 | 7 | 1 and value with variable with states! | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/07/25 08:08 |

| | | | | | | |
|-----|----|--|---|----|----|------------------|
| L10 | 0 | 9 and (categoric\$7 or (numeric\$6l with range)) with variable | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/07/25 07:37 |
| L11 | 0 | 9 and (categoric\$7 or (numeric\$6 with range)) with variable | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/07/25 07:37 |
| L12 | 37 | 1 and (categoric\$7 or (numeric\$6 with range)) with variable | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/07/25 07:48 |
| L13 | 34 | 12 and variable near9 (value or states!) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/07/25 08:08 |
| L14 | 60 | 1 and (categoric\$7 or numeric\$6) with variable | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/07/25 07:49 |
| L15 | 7 | 14 and value with variable with states! | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/07/25 07:50 |
| L16 | 7 | 15 and algorithm | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/07/25 07:53 |
| L17 | 4 | ("6636862" or "6529891").pn. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/07/25 07:54 |
| L18 | 2 | 17 and data near clustering | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/07/25 07:54 |
| L19 | 2 | 18 and algorithm | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/07/25 07:54 |

| | | | | | | |
|-----|----|--|---|----|----|------------------|
| L20 | 2 | 19 and compar\$6 and result and different | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/07/25 07:56 |
| L21 | 10 | 1 and (different adj clustering adj algorithm) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/07/25 08:00 |
| L22 | 10 | 21 and compar\$6 and result | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/07/25 07:57 |
| L23 | 9 | 22 and quality and determin\$6 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/07/25 07:59 |
| L24 | 5 | 22 and quality with determin\$6 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/07/25 07:58 |
| L25 | 2 | 17 and compar\$6 and result | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/07/25 07:57 |
| L26 | 1 | 25 and quality and determin\$6 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/07/25 07:57 |
| L27 | 5 | 21 and quality with determin\$6 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/07/25 07:58 |
| L28 | 9 | 21 and quality and determin\$6 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/07/25 07:59 |
| L29 | 5 | 21 and quality with determin\$6 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/07/25 08:01 |

| | | | | | | |
|-----|-----|--|---|----|----|------------------|
| L30 | 5 | 21 and quality same determin\$6 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/07/25 07:59 |
| L31 | 196 | 1 and (clustering adj algorithms!) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/07/25 08:07 |
| L32 | 32 | 31 and quality with determin\$6 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/07/25 08:07 |
| L33 | 108 | 1 and quality with determin\$6 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/07/25 08:07 |
| L34 | 53 | 33 and (clustering adj algorithm) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/07/25 08:07 |
| L35 | 0 | 34 and value with variable with states! | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/07/25 08:08 |
| L36 | 12 | 34 and variable near9 (value or states!) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/07/25 08:08 |